UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/554,402	10/24/2005	Axel Huegle	502901-431PUS	4591
27799 7590 11/23/2010 COHEN, PONTANI, LIEBERMAN & PAVANE LLP 551 FIFTH AVENUE			EXAMINER	
			EVANISKO, LESLIE J	
SUITE 1210 NEW YORK, NY 10176			ART UNIT	PAPER NUMBER
			2854	
			MAIL DATE	DELIVERY MODE
			11/23/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
Office Action Symptoms	10/554,402	HUEGLE ET AL.			
Office Action Summary	Examiner	Art Unit			
	Leslie J. Evanisko	2854			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1)⊠ Responsive to communication(s) filed on <u>09 Au</u>	iaust 2010				
	<i>⁄</i> —				
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
closed in accordance with the practice under Ex pane Quayle, 1955 C.D. 11, 455 C.G. 215.					
Disposition of Claims					
4) Claim(s) 1 and 3-22 is/are pending in the application.  4a) Of the above claim(s) is/are withdrawn from consideration.  5) Claim(s) is/are allowed.  6) Claim(s) is/are rejected.  7) Claim(s) 1 and 3-22 is/are objected to.					
8) Claim(s) are subject to restriction and/or election requirement.  Application Papers					
9) ☐ The specification is objected to by the Examiner.					
10)⊠ The drawing(s) filed on 10/24/05 & 03/02/09 is/are: a)⊠ accepted or b)□ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  4) Interview Summary (PTO-413) Paper No(s)/Mail Date  5) Notice of Informal Patent Application					
Paper No(s)/Mail Date 6) Other:					

Art Unit: 2854

# **EX-PARTE QUAYLE ACTION**

1. This application is in condition for allowance except for the following formal matters:

#### **Election/Restrictions**

2. Claim 1 is allowable. The restriction requirement between inventions, as set forth in the Office action mailed on June 27, 2008, has been reconsidered in view of the allowability of claims to the elected invention pursuant to MPEP § 821.04(a). The restriction requirement is hereby withdrawn as to any claim that requires all the limitations of an allowable claim. Claims 3-9 and 12-22 are no longer withdrawn from consideration because the claim(s) requires all the limitations of an allowable claim.

In view of the above noted withdrawal of the restriction requirement, applicant is advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application.

Once a restriction requirement is withdrawn, the provisions of 35 U.S.C. 121 are no longer applicable. See *In re Ziegler*, 443 F.2d 1211, 1215, 170 USPQ 129, 131-32 (CCPA 1971). See also MPEP § 804.01.

Art Unit: 2854

### **Drawings**

3. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the housing recited in claim 1 and the sensor recited in claim 20 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

4. The specification is objected to as failing to provide proper antecedent basis for

the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of

the following is required: The particular values for the horizontal and vertical movement

play are recited in claims 6-8 and the sensor described in claim 20 have not been clearly

disclosed in the specification.

**Claim Objections** 

5. Claims 1 and 3-22 are objected to because of the following informalities:

With respect to claim 1, it is suggested that the term --a-- be inserted before

"tachograph" in line 1 to use less awkward language.

With respect to claim 14, the term "the spacing direction" in lines 6 and 7 has no

proper antecedent basis.

With respect to claim 18, the term "the movable parts" in line 3 has no proper

antecedent basis.

With respect to claim 20, the term "the movable parts" in line 1 and the term "the

spacing direction" in lines 3 and 5 have no proper antecedent basis.

With respect to claim 21, the term "the surroundings" in line 2 has no proper

antecedent basis.

Appropriate correction and/or clarification is required.

Art Unit: 2854

## **Allowable Subject Matter**

6. Claims 1 and 3-22 are objected for the reasons set forth above, but would be allowable if rewritten to overcome those objections to the satisfaction of the Examiner.

- 7. The following is a statement of reasons for the indication of allowable subject matter:
- 8. Applicant's arguments, see the response, filed August 9, 2010, with respect to the prior art rejection of claim 1 have been fully considered and are persuasive. Therefore, the prior art rejection of claim 1 has been withdrawn and claims 1 and 3-22 are hereby indicated as being allowable.

#### Conclusion

9. Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Leslie J. Evanisko** whose telephone number is **(571) 272-2161**. The examiner can normally be reached on T-F 8:00 am-6:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on (571) 272-2258. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2854

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Leslie J. Evanisko / Leslie J. Evanisko Primary Examiner Art Unit 2854

lje November 22, 2010